




I-BOX
📍



I-BOX: Ri600 - Ri2100 - Ri7000

PIO & TITO TOSO

- HPC Velluto - liscio naturale
- HPC Velluto - natural smooth
- HPC Velluto - lisse naturel
- HPC Velluto - liso natural

Ri600	590 kg
Ri2100	760 kg
Ri7000	650 kg


- Appoggio
- Freestanding
- À poser
- Apoyo

- Optional:
- Illuminazione LED
 - LED lighting
 - Illumination LED
 - Iluminación LED



A Z

sa



I-BOX: 600 - 1200 - 2300 - 3000 - 2300 F


PIO & TITO TOSO

HPC Velluto - liscio naturale
 HPC Velluto - natural smooth
 HPC Velluto - lisse naturel
 HPC Velluto - liso natural

600	310 kg
1200	540 kg
2300	970 kg
3000	1245 kg
2300 F	700 kg

Appoggio
 Freestanding
 À poser
 Apoyo


Optional:
 Illuminazione LED
 LED lighting
 Illumination LED
 Iluminación LED





I-BOX

📍 Prague (Czech Republic)



I-BOX Y - X

PIO & TITO TOSO

HPC Velluto - liscio naturale
 HPC Velluto - natural smooth
 HPC Velluto - lisse naturel
 HPC Velluto - liso natural

X 1250 kg
 Y 1050 kg

Appoggio
 Freestanding
 À poser
 Apoyo

Optional:
 Illuminazione LED
 LED lighting
 Illumination LED
 Iluminación LED




I-BOX COLLECTION





A Z

sa



I-BOX ACCESSORIES



SB L=490

PIO & TITO TOSO
 Acciaio verniciato
 Powder coated steel
 Acier thermolaqué
 Acero pintado

A	2 kg
SB L	10 kg
SB L	15 kg
SRI600	10 kg
SRI2100	11 kg

Predisposizione per tasselli
 Pre-drilled for anchors
 À cheviller
 Predisposición para tacos



2A



3 SB L=790 + 2A



2 SRI2100 + A




3 SRI600 + 2A



A Z

sa



I-BOX B

PIO & TITO TOSO

HPC Velluto - liscio naturale
 HPC Velluto - natural smooth
 HPC Velluto - lisse naturel
 HPC Velluto - liso natural

B 2300	1122 kg
B 3000	1397 kg


Appoggio
 Freestanding
 À poser
 Apoyo

Optional:
 Illuminazione LED
 LED lighting
 Illumination LED
 Iluminación LED



A Z

sa



BIG I-BOX

PIO & TITO TOSO

HPC Velluto - liscio naturale
HPC Velluto - natural smooth
HPC Velluto - lisse naturel
HPC Velluto - liso natural

1100 kg

Appoggio
Freestanding
À poser
Apoyo

Optional:
Illuminazione LED
LED lighting
Illumination LED
Iluminación LED